	Leeds West Yo United K	kshire LS9 0SW ingdom	
Telephone	: 0113 240) 3456	
E-mail address	: everbuild	.sds@uk.sika.com	
1.4 Emergency telephone numbe	r		
Emergency telephone num- ber		Chemical Emergency Centre (NCEC) Emergency Telephone Number +44 870 190 6777	
SECTION 2: Hazards identification	ation		
2.1 Classification of the substance	e or mixtur		
Classification (REGULATION (EC) No 1272/2008)Flammable liquids, Category 3H226: Flammable liquid and vapour.Long-term (chronic) aquatic hazard, Category 3H412: Harmful to aquatic life with long lasting effects.			
2.2 Label elements			
Labelling (REGULATION (EC Hazard pictograms :) No 1272/20	008)	
Signal word :	Warning		
Hazard statements :	H226	Flammable liquid and vapour.	
Country GB 10000008667			

Trade name	EVERBUILD EVERCRYL ONE COAT INSTANT
	WATERPROOFING

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

SAFETY DATA SHEET
According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Print Date 16.06.2022



1.1 Product identifier

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Version 4.0

Product	use	
---------	-----	--

Company

Revision Date: 16.06.2022

Date of last issue: 07.12.2020

: Surfaces protection

: Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate


Emergency telephone num-	:	National Chemical Emergency Centre (NCEC)
ber		24 Hour Emergency Telephone Number +44 870 190 6777

SAFETY DATA SHEET
According to REACH Regulation (EC) No 1907/2006, as amended by

UK REACH Regulations SI 2019/758



Revision Date: 16.06.2022 Date of last issue: 07.12.2020



BUILDING TRUS

e of last issue: 07.12.2020			
		H412	Harmful to aquatic life with long lasting ef- fects.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements :		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
	Prevention:		
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P273	Avoid release to the environment.
		Response:	
		P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

Version 4.0

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
naphtha (petroleum), hydrotreated heavy	v	Flam. Liq. 3; H226 Asp. Tox. 1; H304 EUH066	>= 10 - < 20

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Revision Date: 16.06.2022 Date of last issue: 07.12.2020 **BUILDING TRUST**

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	Not Assigned 918-668-5 01-2119455851-35- XXXX	Flam. Liq. 3; H226 STOT SE 3; H336, H335 (Respiratory system, Central nervous sys- tem) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 10 - < 20
Quaternary ammonium com- pounds, benzylbis(hydrogenated tallow alkyl)methyl, chlorides	61789-73-9 263-082-9	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400	>= 0,25 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.		
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	:	Erythema See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	No known significant effects or hazards.		
		Repeated exposure may cause skin dryness or cracking.		

	respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up	: Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).			

:

6.4 Reference to other sections

For personal protection see section 8.

Revision Date: 16.06.2022 Date of last issue: 07.12.2020

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

5.1 Extinguishing media

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1	Lxtinguisting media				
	Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical		
	Unsuitable extinguishing media	:	Water		
5.2	5.2 Special hazards arising from the substance or mixture				
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known		
5.3	Advice for firefighters				
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.		
	Further information	:	Use water spray to cool unopened containers.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Prevent product from entering drains.

6.2 Environmental precautions

Environmental precautions

If the product contaminates rivers and lakes or drains inform



Print Date 16.06.2022

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 16.06.2022 Date of last issue: 07.12.2020

Version 4.0

Print Date 16.06.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage, ir	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.

Further information on stor- : No decomposition if stored and applied as directed. age stability

7.3 Specific end use(s)

7.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equi	pment
Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure:



SAFETY DATA SHEET According to REACH Regulation (EC) UK REACH Regulations SI 2019/758 EVERBUILD EVERCRYL ONE COA			
Revision Date: 16.06.2022	Version 4.0	Print Date 16.06.2022	
Date of last issue: 07.12.2020			
	Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to I long-sleeved working clothing, long trousers). and protective boots are additionally recomme and stirring work.	Rubber aprons	
Respiratory protection	: No special measures required.		
Environmental exposure contr	rols		
General advice	 Prevent product from entering drains. If the product contaminates rivers and lakes o respective authorities. 	r drains inform	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid various characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	145 - 181 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 40 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity		
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Viscosity, kinematic Solubility(ies) Water solubility	:	> 20,5 mm2/s (40 °C) No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by	
UK REACH Regulations SI 2019/758 EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING	G

Revision Date: 16.06.2022 Date of last issue: 07.12.2020 Version 4.0

Print Date 16.06.2022

BUILDING TRUST

octanol/water

Vapour pressure	:	0,1 hPa
Density	:	1,05 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 16.06.2022 Date of last issue: 07.12.2020 Version 4.0

BUILDING TRUS

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

•

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET According to REACH Regulation (EC) UK REACH Regulations SI 2019/758 EVERBUILD EVERCRYL ONE COA			
Revision Date: 16.06.2022 Date of last issue: 07.12.2020	Version 4.0	Print Date 16.06.2022	
Assessment :	This substance/mixture contains no component to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPv 0.1% or higher	oxic (PBT), or	
12.6 Endocrine disrupting properti	95		
Product:			
Assessment :	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	according to d regulation	
12.7 Other adverse effects			
Product: Additional ecological infor- : mation	An environmental hazard cannot be excluded unprofessional handling or disposal. Harmful to aquatic life with long lasting effects		
SECTION 13: Disposal considerations			

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number

ADR	:	UN 1263
IMDG	:	UN 1263
ΙΑΤΑ	:	UN 1263



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ER

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 16.06.2022 Date of last issue: 07.12.2020 Version 4.0

Print Date 16.06.2022

	ADR	:	PAINT
	IMDG	:	PAINT
	ΙΑΤΑ	:	Paint
14.3	Transport hazard class(es)		
	ADR	:	3
	IMDG	:	3
	ΙΑΤΑ	:	3
14.4	Packing group		
	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III F1 30 3 (D/E)
	IMDG Packing group Labels EmS Code	:	III 3 F-E, <u>S-E</u>
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels		366 Y344 III Flammable Liquids
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	
14.5	Environmental hazards		
	ADR Environmentally hazardous	:	yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo) Environmentally bazardous		Ves

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 16.06.2022 Date of last issue: 07.12.2020 Version 4.0

Print Date 16.06.2022

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors		:	Not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subjection (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable
REACH Information: REACH Information: All substances contained - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg		tream suppliers, and/or /or gulation, and/or	
		-yi3	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS			
(including jet fuels), (c)) ga	asolines and naphthas, (b) kerosenes s oils (including diesel fuels, home ending streams),(d) heavy fuel oils (e)

alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d) Volatile organic compounds : Law on the incentive tax for volatile organic compounds

(VOCV)

Volatile organic compounds (VOC) content: 20% w/w

Directive 2010/75/EU of 24 November 2010 on industrial



SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING Revision Date: 16.06.2022 Version 4.0

Revision Date: 16.06.2022 Date of last issue: 07.12.2020

iono (integrated pollution provention on

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 20% w/w

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

I un text of II-Statements						
H226	:	Flammable liquid and vapour.				
H302	:	Harmful if swallowed.				
H304	:	May be fatal if swallowed and enters airways.				
H315	:	Causes skin irritation.				
H318	:	Causes serious eye damage.				
H335	:	May cause respiratory irritation.				
H336	:	May cause drowsiness or dizziness.				
H400	:	Very toxic to aquatic life.				
H411	:	Toxic to aquatic life with long lasting effects.				
Full text of other abbreviations						
Acute Tox.	:	Acute toxicity				
Aquatic Acute	:	Short-term (acute) aquatic hazard				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard				
Asp. Tox.	:	Aspiration hazard				
Eye Dam.	:	Serious eye damage				
Flam. Liq.	:	Flammable liquids				
Skin Irrit.	:	Skin irritation				
STOT SE	:	Specific target organ toxicity - single exposure				
ADR	:	European Agreement concerning the International Carriage of				
		Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
ΙΑΤΑ	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at				
		once, which causes the death of 50% (one half) of a group of				
		test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in				



Print Date 16.06.2022

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING								
Revision Date: 16.06.2022 Date of last issue: 07.12.2020	Version 4.0	Print Date 16.06.2022						
	air that kills 50% of the test animals during the	observation						
MARPOL	period) International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 197							
OEL	Occupational Exposure Limit	-						
PBT :	Persistent, bioaccumulative and toxic							
PNEC :	Predicted no effect concentration							
REACH :	Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 conc istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem	erning the Reg- tion of Chemi-						
SVHC :	Substances of Very High Concern							
vPvB	Very persistent and very bioaccumulative							

Further information

Classification of the mixtur	re:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN