

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022 Revision date 08-Apr-2022

Revision Number 3.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product Name	EVO-STIK 1 HOUR SHOWE	R BATHROOM SEALA	NT WHITE	
Pure substance/mixture	Mixture			
1.2. Relevant identified uses of t	he substance or mixture and u	uses advised against	-	
Recommended use	Sealant			
Uses advised against	None known			
1.3. Details of the supplier of the	safety data sheet			
Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36				
E-mail address	SDS.box-EU@bostik.com			
1.4. Emergency telephone numb	<u>er</u>			
United Kingdom Ireland Europe	+44 (1785) 272650 Bostik: +353 (1) 8624900 (N 112	Monday- Friday 9am-5p	m)	
SECTION 2: Hazards ident	ification			
2.1. Classification of the substan	nce or mixture			
Regulation (EC) No 1272/2008				
Chronic aquatic toxicity		C	Category 3 - (H412)	
2.2. Label elements				
Signal word None				
Hazard statements H412 - Harmful to aquatic life with	long lasting effects.			
Ell Specific Hazard Statements				

EUH208 - Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains substances considered to be persistent, bio-accumulating and toxic (PBT). This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Triacetoxy(propyl)silane	241-816-9	17865-07-5	1 - <3	Skin Corr. 1B (H314) (EUH071)	-	01-2119966899- 07-XXXX
Silanetriol, methyl-, triacetate	224-221-9	4253-34-3	1- <2.5	Skin Corr. 1C (H314) Acute Tox. 4 (H302) (EUH014)	-	01-2119962266- 32-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	^	-	01-2119489379- 17-XXXX
Octamethylcyclotetrasilo xane [D4]	209-136-7	556-67-2	0.01 - <0.1	Repr. 2 (H361f) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) [G]	-	01-2119529238- 36-XXXX
4,5-dichloro-2-octyl-2H-i sothiazol-3-one [DCOIT]	264-843-8	64359-81-5	0.01 - <0.05	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 4 (H302) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Skin Irrit. 2 :: 0.025%<=C<5% Eye Irrit. 2 :: 0.025%<=C<3% Skin Sens. 1A :: C>=0.0015%	-

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision Number 3.03

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.	
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.	
4.2. Most important symptoms and	l effects, both acute and delayed	
Symptoms	None known.	
4.3. Indication of any immediate m	edical attention and special treatment needed	
Note to doctors	Treat symptomatically.	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.	
Unsuitable extinguishing media	Full water jet.	
5.2. Special hazards arising from t	he substance or mixture	
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.	
Hazardous combustion products	Carbon dioxide (CO2). Silicon dioxide.	
5.3. Advice for firefighters		
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.	
SECTION 6: Accidental relea	ase measures	
C.4. Demonstrations, whether	ve equipment and emergency procedures	

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.
Other information	Prevent further leakage or spillage if safe to do so.

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022 Revision date 08-Apr-2022

Revision Number 3.03

For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Sectior 12 for additional Ecological Information.	
6.3. Methods and material for conta	ainment and cleaning up	
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	
SECTION 7: Handling and st	orage	
7.1. Precautions for safe handling	_	
Advice on safe handling	Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from open flames, hot surfaces and sources of ignition.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off all contaminated clothing and wash it before reuse.	
7.2. Conditions for safe storage, in	cluding any incompatibilities	
Storage Conditions	Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place.	
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.	
7.3. Specific end use(s)		
Specific use(s) Sealant.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	
SECTION 8: Exposure control	ols/personal protection	
8.1. Control parameters		
Exposure Limits	Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing	

Chemical name	European Union	United Kingdom
Acetic acid	TWA: 25 mg/m ³	TWA: 10 ppm
64-19-7	TWA: 10 ppm	TWA: 25 mg/m ³
	STEL: 50 mg/m ³	STEL: 20 ppm
	STEL: 20 ppm	STEL: 50 mg/m ³
Titanium dioxide	-	TWA: 10 mg/m ³

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

13463-67-7	TWA: 4 mg/m ³
	STEL: 30 mg/m ³
	STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No info

No information available

Derived No Effect Level (DNEL)			
Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m³	

Octamethylcyclotetrasiloxane [D4] (556-67-2)				
Туре		Derived No Effect Level (DNEL)	Safety factor	
worker	Inhalation	73 mg/m ³		
Long term		-		
Systemic health effects				

Derived No Effect Level (DNEL)			
Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

Octamethylcyclotetrasiloxane [D4] (556-67-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	13 mg/m ³	
Consumer Long term Systemic health effects	Oral	3.7 mg/kg bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Octamethylcyclotetrasiloxane [D4] (556-67-2)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.0015 mg/l
Marine water	0.00015 mg/l
Freshwater sediment	3 mg/kg

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

Marine sediment	0.3 mg/kg
Soil	0.54 mg/kg
Sewage treatment plant	10 mg/l

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene [™] . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Ensure adequate ventilation, especially in confined areas.
Environmental exposure controls	Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

<u>9.1. Information on basic physical</u> Physical state Appearance Colour Odour Odour threshold	and chemical properties Solid Paste White Acetic acid. No information available		
<u>Property</u> Melting point / freezing point Initial boiling point and boiling range	<u>Values</u> No data available > 300 °C	Remarks • Method None known	
Flammability Flammability Limit in Air Upper flammability or explosive limits		None known	
Lower flammability or explosive limits Flash point Autoignition temperature	 No data available > 100 °C > 200 °C 	CC (closed cup) None known	
Decomposition temperature pH pH (as aqueous solution) Kinematic viscosity	No data available No data available > 21 mm²/s	Note known Not applicable Insoluble None known @ 40 °C	e in water
Dynamic viscosity	No data available	Water solubility	No data available Insoluble in water Product cures with moisture
None known None known None known		Solubility(ies) Partition coefficient Vapour pressure Relative density Bulk Density Density	No data available No data available No data available No data available No data available 1.02
None known		Relative vapour densi Particle characteristic Particle Size Particle Size Distribution	tyNo data available

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

9.2. Other information VOC Content (%)

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
Reactivity	Product cures with moisture.		
10.2. Chemical stability			
Stability	Stable under normal conditions.		
Explosion data			
Sensitivity to mechanical	None.		
impact Sensitivity to static discharge	None.		
10.3. Possibility of hazardous react			
Possibility of hazardous reactions			
10.4. Conditions to avoid			
Conditions to avoid	Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.		
10.5. Incompatible materials			
Incompatible materials	Strong oxidising agents.		
10.6. Hazardous decomposition pro	oducts_		
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.		
SECTION 11: Toxicological i	nformation		
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008		
Information on likely routes of expo			
Product Information			
Inhalation	Based on available data, the classification criteria are not met.		
Eye contact	Based on available data, the classification criteria are not met.		
Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms related to the physical,	chemical and toxicological characteristics		

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

Symptoms

No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silanetriol, methyl-, triacetate	LD50 = 1600 mg/kg (Rattus) OECD 401	-	-
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h
Octamethylcyclotetrasiloxane [D4]	LD50 > 4800 mg/kg (Rattus) OECD 401	LD50 > 2400 mg/kg (Rattus) OECD 402	=36 g/m³ (Rattus) 4 h
4,5-dichloro-2-octyl-2H-isothiaz ol-3-one [DCOIT]	=1636 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus cuniculus)	=0.26 mg/L (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

The assessment of the result of testing was done in accordance with the guideline of the Commission 92/69/EEC.

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal			Product score <=1
					Non-irritant

Serious eye damage/eye irritation By analogy to another tested similar product: No irritation after contact to the eyes. (H319 is void). The assessment of the result of testing was done in accordance with the guideline of the Commission 92/69/EEC.

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritant
	Rabbit	eye		6 days	Product score <=1
					Non-irritant

No classification is proposed, based on conclusive negative data. OECD Test No. 406: Respiratory or skin sensitisation Skin Sensitisation. May produce an allergic reaction.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Titanium dioxide (13463-67-7)

4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT] (64359-81-5)

Method	Species	Exposure route	Results	
OECD Test No. 406: Skin Sensitisation	Guinea pig		sensitising	
Germ cell mutagenicity	Based on available	data, the classification criteria a	re not met.	
Carcinogenicity	Based on available	data, the classification criteria a	re not met.	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision Number 3.03

Reproductive toxicity	Based on available data,	the classification criteria are not met.
Chemical name		European Union
Octamethylcyclotetrasiloxane [D4]		Repr. 2

11.2. Information on other hazards		
Aspiration hazard	Based on available data, the classification criteria are not met.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
STOT - single exposure	Based on available data, the classification criteria are not met.	

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Triacetoxy(propyl)silan e 17865-07-5	EC50 (72h): approx. 24 mg/l(Pseudokirc henriella subpicata)	LC50 (96h) = 108.89 mg/L	-	EC50 (48h) = 89.59 mg/L		
Silanetriol, methyl-, triacetate 4253-34-3	EC50 (72h): >500 mg/l (Pseudokirchner ella subcapitata)	LC50 (96h) >500 mg/l (Brachydanio rerio)	-	EC50 (48h) >500 mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
Octamethylcyclotetrasil oxane [D4] 556-67-2	-	LC50: >1000mg/L (96h, Lepomis macrochirus) LC50: >500mg/L (96h, Brachydanio rerio)	-	EC50: =25.2mg/L (24h, Daphnia magna)		10
4,5-dichloro-2-octyl-2H- isothiazol-3-one [DCOIT]	EC50 (72h) =0.025 mg/L Algae	LC50 (96h) 0.0078 mg/L (Oncorhynchus	-	EC50 (48h) 0.0097 mg/L Daphnia magna	100	100

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE

Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

64359-81-5	(00011000011100	mykiss)(OECD	(OECD 202)	
	subspicatus)(OE CD 201)	203)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Octamethylcyclotetrasiloxane [D4] (556-67-2)

4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT] (64359-81-5)

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.1-1.3 days
Anaerobic Transformation in			
Aquatic Sediment Systems			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Triacetoxy(propyl)silane	1.23
Silanetriol, methyl-, triacetate	-2.4
Octamethylcyclotetrasiloxane [D4]	6.49
4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]	4.4

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Triacetoxy(propyl)silane	The substance is not PBT / vPvB
Silanetriol, methyl-, triacetate	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Octamethylcyclotetrasiloxane [D4]	PBT & vPvB
4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

No information available. Endocrine disrupting properties

Component Information		
Octamethylcyclotetrasiloxane [D4] (556-67-2)		
Method	Results	Species
Endocrine disrupting properties in accordance	Negative.	
with the criteria set out in Commission		
Delegated Regulation (EU) 2017/2100(3) or		
Commission Regulation (EU) 2018/605(4).		

12.7. Other adverse effects

No information available.

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Revision date 08-Apr-2022

Revision Number 3.03

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine pollutantNP14.6 Special ProvisionsNone14.7 Maritime transport in bulk according to IMO instrumentsNot regulatedAir transport (ICAO-TI / IATA-DGR)14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNot applicable	Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine pollutantNP14.6 Special ProvisionsNone14.7 Maritime transport in bulk according to IMO instrumentsNot applicableAir transport (ICAO-TI / IATA-DGR)Not regulated14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable	IMDG	
14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine pollutantNP14.6 Special ProvisionsNone14.7 Maritime transport in bulk according to IMO instrumentsNot applicableAir transport (ICAO-TI / IATA-DGR)Not regulated14.1 UN number or ID number 14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable	14.1 UN number or ID number	Not regulated
14.4 Packing groupNot regulated14.5 Marine pollutantNP14.6 Special ProvisionsNone14.7 Maritime transport in bulk according to IMO instrumentsNot applicableAir transport (ICAO-TI / IATA-DGR)Not regulated14.1 UN number or ID number 14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable	14.2 Proper Shipping Name	
14.5 Marine pollutantNP14.6 Special ProvisionsNone14.7 Maritime transport in bulkNot applicableaccording to IMO instrumentsNot applicableAir transport (ICAO-TI / IATA-DGR)Not regulated14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable	14.3 Transport hazard class(es)	
14.6 Special Provisions 14.7 Maritime transport in bulk according to IMO instrumentsNone Not applicableAir transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing groupNot regulated Not regulated 		•
14.7 Maritime transport in bulk according to IMO instrumentsNot applicableAir transport (ICAO-TI / IATA-DGR)Not regulated14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es)Not regulated14.4 Packing group 14.5 Environmental hazardsNot applicable		
according to IMO instrumentsAir transport (ICAO-TI / IATA-DGR)14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable		
Air transport (ICAO-TI / IATA-DGR)14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable		Not applicable
14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable	according to IMO instruments	
	 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 	Not regulated Not regulated Not regulated Not regulated Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

This product contains a biocidal product for the preservation of the dry film 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- EUH014 Reacts violently with water
- EUH071 Corrosive to the respiratory tract
- H226 Flammable liquid and vapour
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H351i Suspected of causing cancer if inhaled
- H361f Suspected of damaging fertility
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure

Revision date 08-Apr-2022

Revision Number 3.03

EVO-STIK 1 HOUR SHOWER BATHROOM SEALANT WHITE Supercedes Date: 08-Apr-2022

Key literature references and sources for data

Revision date 08-Apr-2022

Revision Number 3.03

STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

No information available	
Prepared By	Product Safety & Regulatory Affairs
Revision date	08-Apr-2022
Indication of changes	
Revision note	SDS sections updated: 2, 3, 11, 12.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet